



#6
RESPONSE 2823
7/10/03
Mullish

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
WILLIAM S. BRENNAN

Serial No.: 09/883,883

Filed: 6/18/2001

For: CLOSED LOOP RESIDUAL GAS
ANALYZER PROCESS CONTROL
TECHNIQUE

Group Art Unit: 2823

Examiner: WILLIAM D. COLEMAN

Atty. Dkt. No.: 2000.046500/JA

RECEIVED
JUL - 8 2003
TECHNOLOGY CENTER 2800

RESPONSE TO OFFICE ACTION DATED APRIL 1, 2003

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

CERTIFICATE OF MAILING 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on June 30, 2003.

Yolanda Murillo
Yolanda Murillo

This paper is submitted in response to the Office Action dated April 1, 2003, ("the Office Action") for which the shortened statutory period three-month for response expires July 1, 2003. It is believed that no fee is due; however, should any fees under 37 C.F.R. §§ 1.16 to 1.21 be required for any reason, the Assistant Commissioner is authorized to deduct said fees from Advanced Micro Devices, Inc. Deposit Account No. 01-0365/TT3698.

Reconsideration of the application is respectfully requested.